and 453/2010



## RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0)
Revision Date 09.10.2015 Ref. 130000027833

This Safety Data Sheet is based on the structure provided by the UN GHS Guideline and contains classification and labelling information according to international recognized regulations. Exposure Limits provided may not meet the regulatory requirements of all countries.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : RIMSULFURON 25WG

Synonyms : B12341237

DPX-E9636 25WG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Herbicide

1.3. Details of the supplier of the safety data sheet

Company : DuPont International Operations S.a.r.l.

2, chemin du Pavillon

CH-1218 Le Grand-Saconnex / GE

Switzerland

Telephone : +41 (0) 22 717 51 11 Telefax : +41 (0) 22 717 51 09

E-mail address : sds-support@che.dupont.com

1.4. Emergency telephone number

Emergency telephone number : +(44)-870-8200418

: Poison Centres may only possess information required for products in accordance with Regulation (EC) No 1272/2008 and national legislation.

Supplier : Du Pont de Nemours (France) S.A.S.

82, rue de Wittelsheim F-68701 Cernay Cedex

Telephone : +33 (0) 3 89 38 38 38

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EU) 1272/2008 (CLP)

Chronic aquatic toxicity, H410: Very toxic to aquatic life with long lasting effects.

Category 1

#### 2.2. Label elements

Labelling according to Regulation (EU) 1272/2008 (CLP)



Warning

H410 Very toxic to aquatic life with long lasting effects.

Special labelling of certain EUH401: To avoid risks to human health and the environment, comply with the

substances and mixtures instructions for use.,

and 453/2010



## RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents to an approved incineration plant in accordance with local,

regional and national legislations.

P501 Dispose of container to a waste disposal plant in accordance with local,

regional and national legislations.

#### Labelling according to EU Directives 67/548/EEC or 1999/45/EC

SP 1 Do not contaminate water with the product or its container (Do not clean

application equipment near surface water/Avoid contamination via drains from

farmyards and roads).

#### 2.3. Other hazards

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Classification according to Directive 67/548/EEC	Classification according to Regulation (EU) 1272/2008 (CLP)	Concentration
Rimsulfuron (CAS-No.122931-48-0)	Agustia Agusta de 11400	25.07
	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	25 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

General advice : Never give anything by mouth to an unconscious person.

Inhalation : Move to fresh air. Consult a physician after significant exposure. Artificial

respiration and/or oxygen may be necessary.

Skin contact : Take off contaminated clothing and shoes immediately. Wash off immediately

with soap and plenty of water. In the case of skin irritation or allergic reactions

see a physician. Wash contaminated clothing before re-use.

Eye contact : If easy to do, remove contact lens, if worn. Hold eye open and rinse slowly and

and 453/2010



## RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

gently with water for 15-20 minutes. If eye irritation persists, consult a

specialist.

Ingestion : Obtain medical attention. DO NOT induce vomiting unless directed to do so by

a physician or poison control center. If victim is conscious: Rinse mouth with

water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms : No cases of human intoxication are known and the symptoms of experimental

intoxication are not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray, Dry chemical, Foam, Carbon dioxide (CO2)

Extinguishing media which shall not be used for safety

reasons

: High volume water jet, (contamination risk)

## 5.2. Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Hazardous decomposition products formed under fire conditions. Carbon

dioxide (CO2) Nitrogen oxides (NOx)

5.3. Advice for firefighters

Special protective equipment

for firefighters

: Wear full protective clothing and self-contained breathing apparatus.

Further information : Prevent fire extinguishing water from contaminating surface water or the ground

water system. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

: (on small fires) If area is heavily exposed to fire and if conditions permit, let fire

burn itself out since water may increase the area contaminated. Cool

containers/tanks with water spray.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Control access to area. Keep people away from and upwind of spill/leak. Avoid

dust formation. Avoid breathing dust. Use personal protective equipment. Refer

to protective measures listed in sections 7 and 8.

and 453/2010



## RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

#### 6.2. Environmental precautions

Environmental precautions : P

: Prevent further leakage or spillage if safe to do so. Use appropriate container to avoid environmental contamination. Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained. If the product contaminates rivers and lakes or drains inform respective authorities. If the spill area is porous, the contaminated material must be collected for subsequent treatment or disposal.

#### 6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

: Clean up promptly by scoop or vacuum. If spill area is on ground near valuable plants or trees, remove 5 cm of top soil after initial clean-up. Use approved industrial vacuum cleaner for removal. Shovel into suitable container for disposal.

Other information

: Never return spills in original containers for re-use. Dispose of in accordance

with local regulations.

#### 6.4. Reference to other sections

For personal protection see section 8., For disposal instructions see section 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Advice on safe handling

Use only according to our recommendations. Use only clean equipment. Avoid contact with skin, eyes and clothing. Do not breathe dust or spray mist. Wear personal protective equipment. For personal protection see section 8. Prepare the working solution as given on the label(s) and/or the user instructions. Use prepared working solution as soon as possible - Do not store. Remove and wash contaminated clothing before re-use. Avoid exceeding the given occupational exposure limits (see section 8).

Advice on protection against fire and explosion

: Keep away from heat and sources of ignition. Avoid dust formation in confined areas. During processing, dust may form explosive mixture in air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a place accessible by authorized persons only. Store in original container. Keep in properly labelled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs.

Advice on common storage : No special restrictions on storage with other products.

Other data : Stable under recommended storage conditions.

#### 7.3. Specific end use(s)

and 453/2010



## RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

Plant protection products subject to Regulation (EC) No 1107/2009.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

If sub-section is empty then no values are applicable.

#### 8.2. Exposure controls

Engineering measures : Ensure adequate ventilation, especially in confined areas. Provide for

appropriate exhaust ventilation and dust collection at machinery.

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection : Material: Nitrile rubber

Glove thickness: 0,3 mm

Glove length: Standard glove type.

Protection index: Class 6 Wearing time: 8 h

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it. Please observe the instructions regarding permeability and breakthrough time which are provided by

the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts,

abrasion, and the contact time. The suitability for a specific workplace should be discussed with the producers of the protective gloves. Gloves must be inspected prior to use. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. Gauntlets shorter than 35 cm long shall be worn under the combination sleeve. Before removing gloves clean them

with soap and water.

Skin and body protection : Manufacturing and processing work: Full protective clothing Type 5 (EN 13982-

2)

Mixer and loaders must wear: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Rubber apron Nitrile rubber boots (EN 13832-3 / EN ISO

20345).

Spray application - outdoor: Tractor / sprayer with hood: No personal body

protection normally required.

Tractor / sprayer without hood: Low application: Full protective clothing Type 5 + 6 (EN ISO 13982-2 / EN 13034) Nitrile rubber boots (EN 13832-3 / EN ISO

20345).

Backpack / knapsack sprayer: Low application: Full protective clothing Type 4

(EN 14605) Nitrile rubber boots (EN 13832-3 / EN ISO 20345).

Mechanical automatized spray application in closed tunnel: No personal body protection normally required during the application. However, gloves and a long

sleeved shirt shall be worn when handling the treated plants after the

application.

To optimize the ergonomy it may be recommended to use cotton underwear

and 453/2010



## RIMSULFURON 25SG

Respiratory protection

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

when wearing some fabrics. Take advice from supplier.

Garment materials that are resistant to both water vapour and air will maximise wearing comfort. Materials should be robust to maintain the integrity and barrier in use.

The permeation resistance of the fabric must be verified independently of the « type » protection recommended, to ensure an appropriate performance level of the material adequate to the corresponding agent and type of exposure.

Protective measures : The type of protective equipment must be selected according to the

concentration and amount of the dangerous substance at the specific workplace. All chemical protective clothing should be visually inspected prior to use. Clothing and gloves should be replaced in case of chemical or physical damage or if contaminated. Only protected handlers may be in the area during

application.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Regular

cleaning of equipment, work area and clothing. Keep working clothes separately. Contaminated work clothing should not be allowed out of the workplace. Wash hands and face before breaks and immediately after handling the product. When using do not eat, drink or smoke. Keep away from food, drink and animal feedingstuffs. For environmental protection remove and wash all contaminated protective equipment before re-use. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing. Dispose of rinse water in accordance with local and national regulations.

Dispose of firse water in accordance with local and hational regulations.

Manufacturing and processing work: Half mask with a particle filter FFP1 (EN149)

Mixer and loaders must wear: Half mask with a particle filter FFP1 (EN149)

Spray application - outdoor: Tractor / sprayer with hood: No personal respiratory protective equipment normally required.

protective equipment normally required.

Tractor / sprayer without hood: Low application: Half mask with a particle filter

FFP1 (EN149)

Backpack / knapsack sprayer: Low application: Half mask with a particle filter

FFP1 (EN149)

Mechanical automatized spray application in closed tunnel: No personal

respiratory protective equipment normally required.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Form : solid

Colour : dark, tan

Odour : slight

and 453/2010



# RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

Odour Threshold : not determined

pH : 6,7

Melting point/range : Not available for this mixture.

Flash point : Not applicable

Flammability (solid, gas) : The product is not flammable.

Thermal decomposition : Not available for this mixture.

Auto-ignition temperature : > 400 °C

Oxidizing properties : The product is not oxidizing.

Explosive properties : Not explosive

Lower explosion limit/ lower

flammability limit

: Not available for this mixture.

Upper explosion limit/ upper

flammability limit

: Not available for this mixture.

Vapour pressure : Not applicable

Relative density : Not available for this mixture.

Bulk density : 638 kg/m3

Water solubility : dispersible

Partition coefficient: n-

octanol/water

: Not applicable

Viscosity, kinematic : Not applicable

Relative vapour density : Not applicable

Evaporation rate : Not applicable

9.2. Other information

Phys.-chem./other information : No other data to be specially mentioned.

## **SECTION 10: Stability and reactivity**

**10.1. Reactivity** : No hazards to be specially mentioned.

**10.2. Chemical stability** : The product is chemically stable under recommended conditions of storage, use

and temperature.

and 453/2010



## RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0)
Revision Date 09.10.2015
Ref. 130000027833

10.3. Possibility of hazardous reactions

: No dangerous reaction known under conditions of normal use. Polymerization

will not occur. No decomposition if stored and applied as directed.

**10.4. Conditions to avoid** : To avoid thermal decomposition, do not overheat. Under severe dusting

conditions, this material may form explosive mixtures in air.

**10.5.** Incompatible materials : No materials to be especially mentioned.

10.6. Hazardous

decomposition products

: No materials to be especially mentioned.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute oral toxicity

LD50 / Rat female : > 5 000 mg/kg Method: OECD Test Guideline 425

(Data on the product itself) Information source: Internal study report

#### Acute inhalation toxicity

Rimsulfuron

LC50 / 4 h Rat : > 5,4 mg/l

Method: Directive 67/548/EEC, Annex V, B.2. Information source: Internal study report

Acute dermal toxicity

LD50 / Rat : > 5 000 mg/kg Method: OECD Test Guideline 402

(Data on the product itself) Information source: Internal study report

#### Skin irritation

Rabbit

Result: No skin irritation

Method: OECD Test Guideline 404

(Data on the product itself) Information source: Internal study report

#### Eye irritation

Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

(Data on the product itself) Information source: Internal study report

## Sensitisation

Mouse Local lymph node test

Result: Animal test did not cause sensitization by skin contact.

and 453/2010



# RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

Method: OECD Test Guideline 429

(Data on the product itself) Information source: Internal study report

#### Repeated dose toxicity

Rimsulfuron

Oral Rat

altered blood chemistry, Liver effects, Organ weight changes, Information source: Internal study report

#### Mutagenicity assessment

Rimsulfuron

Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Did not show mutagenic effects in animal experiments.

#### Carcinogenicity assessment

Rimsulfuron

Did not show carcinogenic effects in animal experiments.

#### Toxicity to reproduction assessment

Rimsulfuron

Animal testing did not show any effects on fertility.

#### Assessment teratogenicity

Rimsulfuron

Evidence suggests the substance is not a developmental toxin in animals.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Toxicity to fish

static test / LC50 / 96 h / Oncorhynchus mykiss (rainbow trout): > 496 mg/l

Method: OECD Test Guideline 203

(Data on the product itself) Information source: Internal study report

#### Toxicity to aquatic plants

ErC50 / 7 d / Lemna gibba (duckweed): 3,57 µg/l

Method: OECD Test Guideline 201

(Data on the product itself) Information source: Internal study report

and 453/2010



## RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

#### Toxicity to aquatic invertebrates

static test / LC50 / 48 h / Daphnia magna (Water flea): > 413 mg/l

Method: OECD Test Guideline 202

(Data on the product itself) Information source: Internal study report

#### Toxicity to other organisms

• Rimsulfuron

LC50 / Apis mellifera (bees): > 100 μg/b Method: OEPP/EPPO Test Guideline 170 Contact Information source: Internal study report

LC50 / Apis mellifera (bees): > 1000 mg/b Method: OEPP/EPPO Test Guideline 170 Oral Information source: Internal study report

#### Chronic toxicity to fish

Rimsulfuron

Early Life-Stage / NOEC / 90 d / Oncorhynchus mykiss (rainbow trout): 110 mg/l

Method: OECD Test Guideline 210 Information source: Internal study report

Chronic toxicity to aquatic Invertebrates

Rimsulfuron

NOEC / 21 d / Daphnia magna (Water flea): 0,82 mg/l

Method: OECD Test Guideline 202 Information source: Internal study report

# 12.2. Persistence and degradability

Biodegradability

Not readily biodegradable. Estimation based on data obtained on active ingredient.

#### 12.3. Bioaccumulative potential

Bioaccumulation

Does not bioaccumulate. Estimation based on data obtained on active ingredient.

# 12.4. Mobility in soil

Mobility in soil

Potentially mobile, but the leaching potential is mitigated by rapid degradation.

and 453/2010



## RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

#### 12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This mixture contains no substance considered to be persistent, bioaccumulating and toxic (PBT). / This mixture contains no substance considered to be very persistent and very bioaccumulating (vPvB).

#### 12.6. Other adverse effects

#### Additional ecological information

No other ecological effects to be specially mentioned See product label for additional application instructions relating to environmental precautions.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product : In accordance with local and national regulations. Must be incinerated in a

suitable incineration plant holding a permit delivered by the competent authorities. Do not contaminate ponds, waterways or ditches with chemical or

used container.

Contaminated packaging : Do not re-use empty containers.

European Waste Catalogue

number

: 020108: agrochemical waste containing dangerous substances

# **SECTION 14: Transport information**

**ADR** 

14.1. UN number: 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Rimsulfuron)

14.3. Transport hazard class(es):914.4. Packing group:III

14.5. Environmental hazards: For further information see Section 12.

14.6. Special precautions for user:

Tunnel restriction code: (E)

IATA\_C

14.1. UN number: 3077

14.2. UN proper shipping name: Environmentally hazardous substance, solid, n.o.s. (Rimsulfuron)

14.3. Transport hazard class(es):914.4. Packing group:III

14.5. Environmental hazards: For further information see Section 12.

14.6. Special precautions for user:

DuPont internal recommendations and transport guidance: ICAO / IATA cargo aircraft only

**IMDG** 

14.1. UN number: 3077

14.2. UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (Rimsulfuron)

and 453/2010



## RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

14.3. Transport hazard class(es):914.4. Packing group:III

14.5. Environmental hazards : Marine pollutant

14.6. Special precautions for user:

no data available

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : The product is classified as dangerous in accordance with Regulation (EC) No.

1272/2008. Take note of Dir 94/33/EC on the protection of young people at work. Take note of Dir 92/85/EEC on the safety and health at work of pregnant workers. Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Take note of

Directive 96/82/EC on the control of major-accident hazards involving

dangerous substances. Take note of Directive 2000/39/EC establishing a first list

of indicative occupational exposure limit values.

# **SECTION 16: Other information**

#### Full text of H-Statements referred to under section 3.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Other information professional use

For Research and Development purposes only. Must be handled only under the

direct supervision of a technically qualified individual.

## Abbreviations and acronyms

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-No. Chemical Abstracts Service number CLP Classification, Labelling and Packaging

EbC50 Concentration at which 50% reduction of biomass is observed

EC50 Median effective concentration

EN European Norm

EPA Environmental Protection Agency

ErC50 Concentration at which a 50% inhibition of growth rate is observed

EyC50 Concentration at which 50 % inhibition of yield is observed

IATA\_C International Air Transport Association (Cargo)

IBCInternational Bulk Chemical CodeICAOInternational Civil Aviation OrganizationISOInternational Standard OrganizationIMDGInternational Maritime Dangerous Goods

LC50 Median Lethal Concentration

LD50 Median Lethal Dose

LOEC Lowest Observed Effect Concentration

LOEL Lowest observed effect level

MARPOL International Convention for the Prevention of Marine Pollution from Ships

and 453/2010



# RIMSULFURON 25SG

Version 3.0

(replaces: Version 2.0) Revision Date 09.10.2015

Ref. 130000027833

n.o.s. Not Otherwise Specified

NOAEC No Observed Adverse Effect Concentration

NOAEL No observed adverse effect level NOEC No Observed Effect Concentration

NOEL No Observed Effect Level

OECD Organisation for Economic Co-operation and Development OPPTS Office of Prevention, Pesticides and Toxic Substances

PBT Persistent, Bioaccumulative and Toxic

STEL Short term exposure limit
TWA Time Weighted Average (TWA):

vPvB very Persistent and very Bioaccumulative

## **Further information**

Take notice of the directions of use on the label.

Before use read DuPont's safety information., For Experimental Use Only

Significant change from previous version is denoted with a double bar.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The above information relates only to the specific material(s) designated herein and may not be valid for such material(s) used in combination with any other materials or in any process or if the material is altered or processed, unless specified in the text.